



ՀԳՍԿ

**METHODICAL RECOMMENDATIONS
IN PREPARATION FOR THE COMPREHENSIVE
PRACTICE-ORIENTED QUALIFICATION
EXAMINATION IN PHARMACY**

**MINISTRY OF HEALTH OF UKRAINE
NATIONAL UNIVERSITY OF PHARMACY**

**METHODICAL RECOMMENDATIONS
IN PREPARATION FOR THE COMPREHENSIVE PRACTICE-
ORIENTED QUALIFICATION EXAMINATION IN PHARMACY
FOR HIGHER EDUCATION APPLICANTS FIELD OF
KNOWLEDGE 22 HEALTHCARE
IN SPECIALITY 226 PHARMACY, INDUSTRIAL PHARMACY
EDUCATIONAL PROGRAM PHARMACY**

under the editorship of Professor Alla KOTVITSKA

**Kharkiv
NUPh
2024**

*Recommended by the Central Methodic Commission
of the National University of Pharmacy
(minute № 1 dated 10.10.2024)*

REVIEWERS:

R. V. Sahaidak-Nikitiuk, Head of the Department of Pharmaceutical Technology, Standardization and Certification of Medicines, Doctor of Pharmaceutical Sciences, Professor

AUTHORS:

Kotvitska A.A., Fedosov A.I., Kuznietsova V.Yu., Gerasymova O.O., Kyslychenko V.S., Rukhmakova O.A., Polovko N.P., Zuykina S.S., Buryak M.V., Bevz N.Yu., Sydorenko L.V., Georgiyants V.A., Perekhoda L.O., Severina H.I., Panfilova H.L., Nazarkina V.M., Novosel O.M., Malyi V.V., Pestun I.V., Shtrygol' S.Yu., Derymedvid L.V., Otrishko I.A., Hrytsenko V.I., Volkova A.V. Surikova I.O.

Methodical Recommendations for Preparation in Comprehensive Practice-oriented Qualification Examination in Pharmacy : Method. recommendations for higher education applicants / ed. by Alla Kotvitska. – Kharkiv : NUPh, 2024. – 57 p.

The methodical recommendations contain situational tasks for professionally-oriented educational components, carried out for a comprehensive practice-oriented qualification examination in Pharmacy. Issues related to the principles of professional activity of pharmaceutical workers are covered in the form of situational tasks. The tasks are developed in accordance with the educational program "Pharmacy", program of comprehensive practice-oriented qualification exam in pharmacy taking into account the necessary competencies of applicants for higher education specified in the educational program.

Methodical recommendations are intended to prepare for a complex practice-oriented qualifying examination in Pharmacy for applicants for higher education in the field of knowledge 22 Health care in specialty 226 Pharmacy, Industrial Pharmacy.

CONTENT

INTRODUCTION.....	4
GENERAL INFORMATION	4
SITUATIONS AND PRACTICAL TASKS FOR A COMPREHENSIVE PRACTICE-ORIENTED.....	5
QUALIFICATION EXAM IN PHARMACY	
EXAMPLE OF AN EXAMINATION PAPER	51
EVALUATION CRITERIA	52
RATING SCALE FOR HIGHER EDUCATION APPLICANTS’	53
KNOWLEDGE EVALUATION.....	
REFERENCES	54

INTRODUCTION

The modern doctrine of higher education development in Ukraine, implementation of basic principles, rules and regulations with international and European standards, reforming the domestic Healthcare sector require improvement of the existing system of pharmaceutical training, which would meet modern world requirements. Reforming the domestic pharmaceutical sector in the Healthcare sector involves training competitive professionals at a qualitatively new level on the basis of a competency-based approach. This necessitates professional knowledge of Pharmacy, their skillful practical use.

The methodological recommendations provide situational tasks for professionally- oriented educational components, which are submitted for an integrated practically-oriented qualifying exam in Pharmacy. Issues related to the principles of professional activity of pharmaceutical workers are highlighted in the form of situational tasks.

The tasks are developed in accordance with the educational program "Pharmacy", program of comprehensive practice-oriented qualification exam in pharmacy taking into account the necessary competencies of applicants for higher education specified in the educational program.

These methodological recommendations are intended for the certification of applicants for higher education in the field of knowledge 22 Healthcare in speciality 226 Pharmacy, Industrial Pharmacy educational program Pharmacy in order to prepare for an integrated practically-oriented qualification exam in Pharmacy.

GENERAL INFORMATION

Certification of people obtaining Master's degree in 226 Pharmacy, Industrial Pharmacy is carried out by the examination commission of the National University of Pharmacy, which operates on the basis of the "Regulations on the Certification of Applicants for Higher Education and the Examination Board at the National University of Pharmacy" (ΠΟΛ Α 2.2-38-136).

Certification of applicants for higher education is the establishment of the learning outcomes compliance with the requirements of the educational program and/or the requirements of the program of the unified state qualification examination.

The applicants for higher education who have met all the requirements of the curriculum and educational program in the speciality 226 Pharmacy, Industrial Pharmacy are admitted to the certification.

During the integrated practice-oriented qualification exam in Pharmacy, the testing and evaluating the quality of the applicants for higher education' professional training, establishing its compliance with the requirements of the educational program Pharmacy in the speciality 226 Pharmacy, Industrial Pharmacy are carried out.

The examination paper of the integrated practice-oriented qualification exam in Pharmacy contains the situation and 4 practical tasks adapted to the realities of the future professional activity.

The competencies of applicants for higher education in the integrated practice-oriented qualification exam in Pharmacy are assessed by a separate single assessment of all educational components that are classified in accordance with the curriculum.

SITUATIONS AND PRACTICAL TASKS FOR A COMPREHENSIVE PRACTICE- ORIENTED QUALIFICATION EXAM IN PHARMACY

Situation 1

Pharmaceutical company “GlaxoSmithKline” (Belgium) produces powder “Coldrex” for oral solution containing following active pharmaceutical ingredients: paracetamol, ascorbic acid and phenylephrine hydrochloride.

1. Analyze fractional composition of active ingredients. Explain the purpose of this test and what particle size of active ingredients in the oral powder should be.

2. Carry out identification of ascorbic acid according to the monograph of the EuPh and SPhU (tests C and D). Given the chemical properties of ascorbic acid, explain the risks of its simultaneous use with sulphonamide medicinal products.

3. According to the table, draw a graph of compliance with the production and sale of the medicine “Coldrex Hotrem Lemon”. Define and describe the stage of the product life cycle and tasks of marketing at this stage:

Years	Production volumes (million units)	Sales volumes (million units)
1	0.3	0.18
2	0.6	0.32
3	0.8	0.48
4	0.4	0.26
5	0.4	0.24
6	0.4	0.25

4. Compose an algorithm of pharmaceutical care for cold treatment for the patient working as an air-traffic controller. Explain clinical and pharmaceutical features of the use of combined cold medicines. Provide an informational and counseling service regarding the use of the medicine “Coldrex”.

Situation 2

A visitor turned to your pharmacy. You know this patient very good – he regularly buys «Verapamil», which is ordered to him by a doctor in complex treatment of essential arterial hypertension:

Rp.: Tab. Verapamili 0.08 No. 20

D.S.: 1 tablet 3 times a day

1. Provide pharmaceutical care to a pharmacy visitor considering that at the same time he asked for a medicine to treat headache. In the course of the conversation, it turned out that the patient does not take verapamil regularly, but only with an increase in blood pressure, since with regular intake of verapamil, the visitor becomes constipated. Provide the substantiated recommendation.

2. Determine the disintegration time of Verapamil film-coated tablets according to the SPhU. Make a conclusion about the compliance of obtained results with requirements of the SPhU.

3. Identify by morphological features medicinal plant raw material that has a laxative effect. Suggest methods of analysis of the main class of biologically active substances in medicinal plant raw material. Name medicines, their use in the health care.

4. Calculate the real cost of advertising and give recommendations on the appropriateness of placing an advertising text about a medicine for constipation elimination in specialized and popular science magazines, if in order to promote this medicine in the pharmaceutical market, the manufacturer plans to place the advertising in a specialized magazine “Practitioner” and the popular science magazine “Science and Life”. At the same time, specialists of marketing research department found that the cost of an advertisement in magazine “Practitioner” is 20 thousand, in magazine “Science and Life” is 30 thousand UAH. Circulation is 30.000 copies for magazine “Practitioner”, for magazine “Science and Life” is 80.000 copies. The real audience (established by marketing research) is: for magazine “Practitioner” – 90 %, for magazine “Science and Life” – 20 %. What are the methods of calculating the advertising budget?

Situation 3

A visitor addressed to your pharmacy with the prescription for «Actrapid» (human insulin):

Rp.: «Actrapid HM» (100 IU/mL) 10 mL No. 1

D. S. 8 units subcutaneously 30 min before each meal

1. Provide pharmaceutical care to a pharmacy visitor considering that he complained about headache, dizziness and tremor in arms and at the same time asked for a medicine to treat a headache. Provide the substantiated recommendation.

2. Check solution for injection in ampoules “Actrapid HM” – 10 mL for the absence of mechanical matters in the accordance with requirements of the SPhU. Make a conclusion about obtained results. Explain how these requirements are followed at pharmaceutical enterprises.

3. Identify by morphological features medicinal plant raw material that are a component of antidiabetic species “Arfazetin”. Suggest methods of analysis of the main class of biologically active substances in medicinal plant raw material.

4. Make a conclusion about the product marketing strategy of a pharmaceutical company that produces an insulin drug. Describe the strategies of differentiated, undifferentiated and concentrated marketing.

Situation 4

A visitor addressed to your pharmacy with the prescription for «Zinnat» (cefuroxime), ordered to him by a doctor for the treatment of chronic bronchitis exacerbation:

Rp.: Gr. “Zinnat” 250 mg/5ml

D. S.: Dilute the granules in the vial according to the instructions for use. 500 mg twice a day during 7 days

1. Provide pharmaceutical care to a pharmacy visitor considering that at the same time he asked for a medicine to treat cough. Explain clinical and pharmacological approaches to choosing the medicine. Provide the substantiated recommendation.

2. Determine the dissolution time of Zinnat granules according to the SPhU. Compare results with requirements of the SPhU for specified dosage form.

3. Identify by morphological characteristics medicinal plant raw material used for the production of medicine “Broncholitín”. Suggest methods of analysis of the main class of biologically active substances in medicinal plant raw material. Name other medicines from medicinal plant raw material, their use in the health care.

4. Demonstrate at a diagram the level management structure of the pharmacy network, headed by a director, to whom 3 pharmacies are subordinated, headed by heads of pharmacies. Each pharmacy has 2 departments – prescription-and-production and ready-made medicines. Formulate an indicative list of professional qualities and skills that pharmacy network managers should have, depending on management levels.

Situation 5

“Kyiv Vitamin Plant” produces “Vitamin A” in soft gelatin capsules.

1. Determine disintegration time of capsules and make a conclusion about its compliance with requirements of the SPhU. Name a method used to produce medicine “Vitamin A” in capsules.

2. Identify by morphological features medicinal plant raw material – flowers that contain carotenoids. Suggest methods of analysis of carotenoids in medicinal plant raw material. Name medicines, their use in the health care.

3. Calculate the coefficient of elasticity of demand for the medicine “Vitamin A” (in soft capsules of 100.000 IU No. 50) and determine the type of elasticity of demand. Specialists of marketing department of the pharmaceutical company found that at the price of 42 UAH the demand for the medicine is 265.000 units, and at the price of 36 UAH the demand increases to 320.000 units. Describe the factors that affect the elasticity of demand.

4. Compose an algorithm of pharmaceutical care for symptomatic treatment of acne in a young woman. Explain clinical and pharmaceutical approaches to the use of retinoid medicines for local treatment of acne. Provide an informational and counseling service regarding the use of the medicine “Vitamin A” in a dosage form of soft gelatin capsules.

Situation 6

The pharmacy visitor provided the pharmacist with a list of medicines he needed to buy:

Ampicillin, tab. 250 mg No. 10

Bronchipret, syrup 50 mL, fl. No. 1

Sorbex, caps. 0.25 g No. 10

Caffeine-sodium benzoate, sol. for inject. 10 % – 1 mL amp. No. 10

Voltaren forte, emulgel 2.32 % 100 g

Solpadein, caps. No. 12

Sibazon (diazepam), tab. 5 mg No. 10

Supradin active, tab. No. 30

1. Explain to the visitor the procedure for organizing the dispensing of medicines, in particular, according to electronic prescriptions.

2. Give appropriate calculations, demonstrate technological operations for the preparation of the solution of caffeine-sodium benzoate for injections according to the prescription:

Rp.: Sol. Coffeini-Natrii benzoatis 10 % 50 mL

Sterilisa!

D. S.: Use 1 mL subcutaneously 2 times a day

(Coffeini-Natrii benzoatis HSD – 0,4, HDD – 1,0)

Write the front side of the written control passport, perform operations on packaging and labeling.

3. Identify by morphological features medicinal plant raw material, which extract is a part of medicine “Bronchipret syrup”. Suggest a method of obtaining the main class of biologically active substances from medicinal plant raw material and indicators that characterize its quality. Name other medicines from this medicinal plant raw material, their use in the health care.

4. Substantiate a reasonability of using medicines “Ampicillin” and “Bronchipret” in a patient with the diagnosis: *Community-acquired focal pneumonia*. Propose a list of effectiveness/safety criteria for the use of these medicines. Provide an informational and counseling service regarding rational use of expectorants and antibiotics.

Situation 7

A visitor turned to your pharmacy with a request for prescription drug «Doxycycline», ordered by a doctor for treatment of mycoplasmal pneumonia:

Rp.: Tab. Doxycyclini 0.1 No. 10

D.S.: 1 tablet 2 times a day during 7 days

1. Provide pharmaceutical care to a pharmacy visitor considering that at the same time she reported about use of Azithromycin for 7 days before the referral to a pharmacy. Now she complains about discomfort in the gastrointestinal tract, abdominal distention, diarrhea. Provide the substantiated recommendation regarding responsible self-treatment.

2. Give appropriate calculations, demonstrate technological operations for the preparation of the ointment with an antibiotic of the tetracycline group according to the prescription:

Rp.: Ung. Tetracyclini 1 % 10.0

D. S. Lubricate the edges of the eyelids 2 times a day

Write the front side of the written control passport, perform operations on packaging and labeling.

3. Make a conclusion about the compliance of doxycycline hyclate substance with requirements of the EuPh and SPhU monographs (tests for purity), by the specific absorbance. Due to the chemical properties of doxycycline, give background for the risks of its simultaneous use with antacids and iron preparations, and give examples of reactions.

4. Calculate the capacity of the regional pharmaceutical market for Doxycycline (per year), taking into account capabilities of manufacturers and the purchasing capacity of consumers, if marketing research of the regional pharmaceutical market of the medicine “Doxycycline” shows the following data:

Population of region	– 2 mln people
Purchasing capacity per 1 person	– 0.4 pac. a year
Firm “A” production	– 0.7 mln pac.
Firm “B” production	– 1.2 mln pac.
Arrivals of the medicine from other regions	– 0.3 mln pac.
Deliveries of the medicine in other regions	– 0.8 mln pac.
Commodity stocks	– 0.1 mln pac.

Establish the type of the regional market by results of calculations. Suggest other quantitative market indicators for analysis.

Situation 8

A woman turned to your pharmacy with the prescription for «Amoxicillin», ordered her by a doctor for the treatment of acute pyelonephritis of her 6-years old son:

Rp.: Tab. Amoxicillini 0.25 No. 10

D. S. 1 tab. 2 times a day during 7 days

1. Provide pharmaceutical care to a pharmacy visitor considering that at the same time she asked for advice on the medicines for symptomatic treatment allowed for use in children. Provide the substantiated recommendation.

2. Give appropriate calculations, demonstrate technological operations for the preparation of suppositories with an antibiotic of the penicillin group according to the prescription:

Rp.: Benzylpenicillini-natrii 100000 U

Olei Cacao q. s.

Misce, fiat suppositoriorum

Da tales doses No. 3

Signa: Use 1 suppository per night

(Benzylpenicillini-natrii HSD – 0,18, HDD – 0,3; 1000000 U – 0,6)

Write the front side of the written control passport, perform operations on packaging and labeling.

3. Identify by morphological features medicinal plant raw material that has a diuretic effect. Suggest methods of analysis of the main class of biologically active substances in medicinal plant raw material.

4. Analyze the pharmacy's efficiency, if:

- the average level of trading imposing – 27 %,
- the amount of expenses - UAH 1 056 000;
- total turnover – UAH 5 234 000.

Situation 9

Pharmaceutical companies (Flora-Pharm LLC, Ukraine; Sandoz, Poland/Slovenia, etc.) produce soft medicines, which include horse chestnut extract with capillary-stabilizing action (“Venoton-cream”, “Venoton-gel-balm”, “Venitan”, etc.).

1. Determine concentration of ethanol in the liquid extract of horse chestnut according to the method of the SPhU. Name other methods for determining concentration of ethanol in liquid extraction medicines and alcohol-containing solutions.

2. Identify by morphological features medicinal plant raw material – seeds, from which extract with capillary-stabilizing action is obtained. Suggest methods of analysis of the main class of biologically active substances in medicinal plant raw material. Name medicines, their use in the health care.

3. Determine the level of monopolization of the domestic pharmaceutical market on the example of venotonic medicines using Herfindahl-Hirschman index. Name the quantitative indicators of the market.

Manufacturing company	Market share (r), %	r^2
Company A	27.1	734.4
Company B	24.9	620.0
Company C	13.6	185.0
Company D	6.0	36.0
Company E	6.0	36.0
Company F	5.4	29.2
Company G	4.0	16.0
Company H	2.4	5.8
Company I	1.4	2.0
Company G	1.2	1.4
Other companies		6.2

Note: HHI = 0 – total decentralization of production; $HHI \leq 1000$ – non-monopolized market; $1000 > HHI < 1800$ – moderately monopolized market; $HHI \geq 1800$ – monopolized market; $HHI = 10\,000$ – absolute market monopoly.

4. Compose an algorithm of pharmaceutical care for symptomatic treatment of soft tissue injury in a man that has fallen off his bicycle. Explain clinical and pharmaceutical features of choosing medicines with local effects for the treatment of soft tissue injury. Provide an informational and counseling service regarding the use of medicines in topical dosage forms.

Situation 10

Pharmaceutical company “Pharmaceutical Firm “Darnytsia”” (Kyiv, Ukraine) produces solution of caffeine-sodium benzoate for injections.

1. Explain at what stages of technological process violations were committed, if

during quality control of ampoules with caffeine-sodium benzoate solution for injection, the controller had noticed a white precipitate that appeared after thermal sterilization. Check ampoules for tightness.

2. Carry out identification of sodium benzoate according to the monograph of the EuPh and SPhU (tests A and B). Describe the main pathways of caffeine metabolism.

3. Calculate the amount of vacation pay for the technologist of the company "Darnytsia" V.I. Ivanova, if the salary is 18 000 UAH, the amount of bonuses for the previous 12 months is 23 400 UAH. The duration of the vacation is 24 days. Indicate mandatory deductions from wages.

4. Explain clinical and pharmaceutical features of using non-prescription combined analgesics or cold medicines containing caffeine. Compose a list of precautions concerning their administration for the symptomatic treatment of headache or cold symptoms in some categories of patients.

Situation 11

Based on the information of the State Expert Center of the Ministry of Health of Ukraine regarding the case of death during the use of the drug, the State Service of Ukraine on Medicines and Drugs Control temporarily banned the sale, storage and use of Atropine sulfate 1.0 mg/ml No. 10 series 21D18, manufactured by Industria Farmaceutica Galenica Senese S.r.L.

1. Draw up an algorithm of actions of business entities (pharmacies) in case of receipt of ban/temporary ban orders. Explain the conditions under which it is possible to renew the circulation of this medicine on the territory of Ukraine.

2. Give appropriate calculations, demonstrate technological operations for the preparation of ophthalmic drops with Atropine sulfate according to the prescription:

Rp.: Sol. Atropini sulfatis 1 % 10 mL

Da. Signa: Use 2 drops in both eyes 3 times a day

(The isotonic equivalent of atropine sulfate in sodium chloride is 0.1)

Write the front side of the written control passport, perform operations on packaging and labeling.

3. Carry out identification of atropine sulfate substance according to requirements of the EuPh and SPhU (reactions D, E, F). Describe the main metabolic pathways of this medicine.

4. Compose a list of main clinical effects of atropine sulfate and explain how to evaluate the similar M-cholinoblocking activity of some groups of other medicines including non-prescription ones. Provide examples.

Situation 12

Production department of the pharmacy No. 11 in Kharkiv received a prescription for an extemporaneous medicine:

Rp.: Dibazoli 0.01

Papaverini hydrochloridi 0.02

Sacchari 0.3

Misce, ut fiat pulvis

Da tales doses No. 6

Signa: Use 1 powder 3 times a day

(Dibazoli HSD – 0,05; HDD – 0,15, papaverine hydrochloride HSD – 0,2, HDD – 0,6)

1. Give appropriate calculations, demonstrate technological operations for the preparation of this medicine, write the front side of the written control passport, perform operations on packaging and labeling.

2. Carry out the identification of papaverine hydrochloride in a dosage form. Describe the synthetic analogues of papaverine. Describe the main metabolic pathways of papaverine.

3. Provide an algorithm for pharmacist's actions when receiving a prescription and dispensing medicines. Explain features of pricing for extemporaneous medicines. Determine the medicine pricing of a prescription.

4. Inform a physician about the availability of modern antihypertensive medicines for the treatment of a patient with the following diagnosis: *Essential arterial hypertension, stage I (145/95 mm Hg)*. Propose a list of effectiveness/safety criteria for the use of this combination. Advise the patient on a lifestyle modification.

Situation 13

Pharmacist A.A. Shevchenko, who works as the deputy head of pharmacy No. 9, was granted leave due to pregnancy and childbirth from March 27 to July 30. The monthly salary of Shevchenko A. A. is 9 200 UAH, and the amount of premiums for the settlement period – 11 400 UAH.

1. Calculate the amount of maternity leave (leave with pregnancy and childbirth). Indicate the mandatory deductions from wages.

2. Give appropriate calculations, demonstrate technological operations for the preparation of the powder according to the prescription:

Rp.: Calcii carbonatis 0.6

Magnii carbonatis 0.08

Misce, ut fiat pulvis

Da tales doses No. 6

Signa: Use 1 powder for heartburn

Write the front side of the written control passport, perform operations on packaging and labeling.

3. Carry out identification of magnesium carbonate substance in the accordance with requirements of the EuPh and SPhU (reactions B, C). Give examples of drugs whose bioavailability may decrease in the presence of drugs containing magnesium carbonate. Explain your answer, and give examples of reactions.

4. Compose an algorithm of pharmaceutical care for a pregnant woman that referred to the pharmacy complaining of heartburn. Advise the pregnant woman a non-prescription medicine to treat the symptom, propose safety criteria for the therapy. Provide an informational and counseling service regarding the use of the medicine.

Situation 14

Production department of the pharmacy No. 308 in Kharkiv received a prescription for an extemporaneous medicine:

Rp.: Infusi herbae Thermopsidis ex 0.3 80 mL

Natrii benzoatis

Natrii hydrocarbonatis ana 1.0

Liquoris Ammonii anisati 3 mL

Misce. Da. Signa: Use 1 table spoon 3 times a day

(Dry standardized extract-concentrate of Bush Pea herb HSD – 0,1; HDD – 0,3)

1. Give appropriate calculations, demonstrate technological operations for the preparation of this medicine (using dry standardized extract-concentrate of Bush Pea herb (1:1)), write the front side of the written control passport, perform operations on packaging and labeling.

2. Identify by morphological features medicinal plant raw material from which the essential oil that is a part of ammonia-anise drops is obtained. Suggest a method of obtaining the main class of biologically active substances from medicinal plant raw material and indicators that characterize its quality. Name medicines, their use in the health care.

3. Determine the amount of income tax in pharmacy No. 308 based on the results of activities in the first quarter of this year:

- commodity circulation (excluding value-added tax) 1 450 900 UAH
- purchase price of sold goods 1 015 700 UAH
- expenses (costs) 290 000 UAH

Explain the features of the general and simplified taxation system for pharmacies.

4. Compose an algorithm of pharmaceutical care for symptomatic treatment of cough in the patient who has a gastrointestinal disorder in his medical history. Explain clinical and pharmaceutical approaches to choosing a cough medicine for responsible self-treatment. Provide an informational and counseling service regarding the safe use of medicines containing Bush Pea.

Situation 15

The CPL of PC “Darnytsia” carries out incoming control of theophylline-ethylenediamine substance, intended for the production of solution for injections.

1. Carry out the identification of theophylline by reaction to xanthines and assay of ethylenediamine in theophylline-ethylenediamine substance by acidimetric titration. Make a conclusion about the compliance of the substance with the EuPh and SPhU requirements by this parameter.

2. Control the injection solution of euphylline 2.4 % in 5 mL ampoules relative to the filling norms according to the SPhU. Draw conclusions about the compliance of obtained results with requirements of the SPhU. For what purpose this quality indicator is monitored? What factors does it depend on?

3. Carry out an economic analysis of the costs (expenses) of the company “Darnytsia”, if the turnover in the base year was 1 134 000 000 UAH, and the absolute amount of expenses was 470 100 000 UAH. In the reporting year, the turnover was 1 197 000 000 UAH, and the absolute amount of expenses was 555 610 000 UAH.

4. Compose a list of main symptoms of bronchoobstruction syndrome and early signs of bronchial asthma. Explain to a patient with bronchial asthma clinical and pharmacological features of medicines with Theophylline. Propose a list of effectiveness/safety criteria for their use.

Situation 16

Production department of the pharmacy “Leda” in Kharkiv received a prescription for an extemporaneous medicine:

Rp.: Picis liquidae Betulae

Xeroformii ana 0.3

Olei Ricini 10.0

Misce. Da. Signa: Balsamic liniment by Vishnevsky (for bandages)

1. Give appropriate calculations, demonstrate technological operations for the preparation of this medicine, write the front side of the written control passport, perform operations on packaging and labeling.

2. Identify by morphological features of medicinal plant raw material that are the source of castor oil. Suggest a method of obtaining castor oil from medicinal plant raw material. Determine the identity and quality of castor oil. Name medicines that contain castor oil, their use in the health care.

3. Draw a scheme of internal variables of the pharmacy, demonstrate and justify their interconnection; recommend and formulate the purpose and tasks of the pharmacy, detail internal components “structure” and “technology”.

4. Check for “threatening” symptoms in the patient with skin lesions. Compose an algorithm of pharmaceutical care for symptomatic treatment of scratches in a patient with toxic diffuse goiter. Recommend a medicine and provide an informational and counseling service regarding its use.

Situation 17

Pharmaceutical production company “Pharma” has introduced to the market a generic hypolipidemic medicine “A” in the form of coated tablets 10 mg No. 30, which contains rosuvastatin.

1. Describe the criteria for positioning a medicinal product. Calculate the market share of the medicine “A” in the market segment and market share relative to the leader in data of sales volume of rosuvastatin for the previous year:

Medicines	Sales volume, thousands of packages
Medicine A	48.5
Medicine B	43.3
Medicine C	81.2
Medicine D	154
<i>Total</i>	327

2. Determine organoleptic characteristics of rosuvastatin film-coated tablets in the accordance with requirements of the SPhU and draw appropriate conclusions. Name factors that affect the appearance of tablets.

3. Identify by morphological features medicinal plant raw material that has hypocholesterolemic action. Suggest methods of analysis of the main class of biologically active substances in medicinal plant raw material. Name medicines, their use in the health care.

4. Provide an informational and counseling service regarding the use of the medicine “Rosuvastatin”, compose a list of effectiveness/safety criteria for its use, propose measures for adverse effects prevention. Advise the patient on a lifestyle modification.

Situation 18

Production department of the pharmacy No. 43 in Kharkiv received a prescription for an extemporaneous medicine:

Rp.: Streptocidi 0.3

PEO q.s.

Misce, ut fiat suppositorium

Da tales doses No. 3

Signa: Use 1 suppository at night

1. Give appropriate calculations ($1/E_f$ of streptocide – 0.62; Streptocide HSD – 2,0; HDD – 7,0), demonstrate technological operations for the preparation of this medicine, write the front side of the written control passport, perform operations on packaging and labeling.

2. Carry out identification of an active substance according to the monograph of the EuPh and SPhU (tests B and D). Give examples of sulfonamide drugs that are prodrugs.

3. The management of pharmacy No. 7 made a decision on the expansion of economic activity and is considering the possibility of production (manufacturing) of

medicines in the pharmacy and electronic retail trade of medicines. Explain what types of activities are subject to licensing in the pharmaceutical field. Make an algorithm of actions for obtaining a license and indicate the licensing requirements for the material technical base and personnel in the retail trade of medicines.

4. Explain to a pharmacy visitor modern approaches to choosing antibacterial medicines. Compose a list of advantages and disadvantages of sulfonamides. Counsel the patient on the features of using different dosage forms of sulfonamides (streptocide) that are available in the pharmacy (liniment, tablets, combined aerosol and spray for oral cavity).

Situation 19

The CPL of PJSC PP “Viola” carries out certification of a batch of magnesium sulfate substance intended for the production of the powder for internal use.

1. Carry out the test of the magnesium sulphate substance for impurities of chlorides and heavy metals according to the EuPh and SPhU monographs. Make a conclusion about the compliance of obtained results with requirements of the EuPh and SPhU. Given the chemical properties, explain the risks of simultaneous use of this medicinal product with other groups of medicinal products and give examples of reactions.

2. Give appropriate calculations, demonstrate technological operations for the preparation of *50 mL of 10 % concentrated solution of magnesium sulfate* ($CVI = 0,5$; $d=1,0481$) in pharmaceutical conditions, register this solution for the use.

3. Analyze the structure of the pharmacy's commodity circulation (determine the share (%) of retail and wholesale turnover), if during the month following business transactions were carried out:

- revenue of the prescription department – 3 570 000 UAH;
- revenue of the non-prescription department – 1 862 000 UAH;

- the National Health Service of Ukraine has reimbursed for medicines dispensed under electronic prescriptions of the "Affordable Medicines" program – 127 000 UAH.
- medicines were dispensed free of charge for certain groups of the population and for certain categories of diseases – 18 000 UAH;
- revenue of the pharmacy point No 1 – 1 580 000 UAH;
- medicines and medical goods were sold to wholesale buyers – 78 000 UAH.

4. Compose an algorithm of pharmaceutical care for symptomatic treatment of constipation in a patient with ischemic heart disease that takes for a long time the complex therapy (isosorbide dinitrate, verapamil, clopidogrel, atorvastatin). Recommend a medicine to treat constipation and counsel the patient on its use.

Situation 20

PJSC “Chervona zirka” received a batch of medicinal plant raw material for medicine “Licorice root syrup” production.

1. Identify medicinal plant raw material by morphological and anatomical features. With the help of identification reactions confirm the presence of the main class of biologically active substances in medicinal plant raw material, propose a method for its quantitative determination.

2. Determine the moisture content in 200.0 kg of soft licorice extract according to requirements of the SPhU. Make a conclusion about obtained results. How to get a standard product, if specified extract contains 29 % moisture; 15 % moisture?

3. Draw a graph and determine the equilibrium price and the corresponding amount of demand for the medicine “Licorice root syrup”, if PJSC “Chervona zirka” agrees to produce it at a price of 70 UAH – 20 thousand units, at the price of 60 UAH – 18 thousand units, at the price of 50 UAH – 12 thousand units. The conducted marketing research has shown, that demand at such prices will be: 14 thousand units, 17 thousand units, 20 thousand units accordingly. Explain, what characteristic of the

market will be – surpluses or deficits if the market price of the medicine is below the equilibrium price. Describe the pricing strategies.

4. Compose an algorithm of pharmaceutical care for symptomatic treatment of cough in an elderly woman with community-acquired pneumonia. Explain clinical and pharmaceutical features of using herbal medicines for cough treatment. Provide an informational and counseling service regarding the use of the medicine “Licorice root syrup”.

Situation 21

According to results of the marketing research, it was found that the actual consumption of the medicine – a broad-spectrum antibiotic “Normax” (active substance norfloxacin) eye/ear drops 0.3 %, 5 mL in recent years (provided full demand) was: 207 thousand packages, 122 thousand packages, 118 thousand packages (in the current year).

1. Calculate the need of the region for the next year in the medicine based on its growth rate, make a conclusion about the trend of demand for the medicine in the region. Describe the methods of marketing research.

2. Determine the average mass of “Norfloxacin” 200 mg capsules and the deviation from it according to the EuPh and SPhU. Make a conclusion about the compliance of this quality parameter with requirements of the EuPh and SPhU.

3. Carry out the test for purity for norfloxacin according to requirements of the QCT (clarity and degree of opalescence of liquids and degree of coloration of liquids). Due to the chemical properties of norfloxacin give background for risks of its simultaneous use with antacids and iron preparations and provide an equation.

4. Substantiate a reasonability of prescribing the fluoroquinolone medicine to a patient with the diagnosis *Chronic pyelonephritis*. Propose a list of effectiveness/safety criteria for the therapy pyelonephritis by fluoroquinolones, explain the limitations of prescribing this group of medicines to children.

Situation 22

TERNOPHARM LLC received a batch of medicinal plant raw material for “Valerian tincture” production.

1. Identify medicinal plant raw material by morphological and anatomical features. Suggest a method of obtaining essential oil from this medicinal plant raw material. Perform an organoleptic analysis and determine main physical indicators of the quality of essential oil.

2. Give appropriate calculations, demonstrate technological operations for the preparation of drops, containing Valerian tincture, according to the prescription:

Rp.: Adonisidi 5 mL

Tincturae Convallariae

Tincturae Valerianae 10 mL

Mentholi 0.05

Kalii bromidi 2.0

Misce. Da. Signa. Use 25 drops 3 times a day (Zelenin's drops)

(Adoniside 1 ml – 34 drops, Convallaria tincture 1 ml – 50 drops, Valerian tincture 1 ml – 51 drops; Adoniside HSD – 40 drops, HDD – 120 drops)

Write the front side of the written control passport, perform operations on packaging and labeling.

3. Calculate the balance of goods in a pharmacy at the end of the month and days of supply, given that the level of cost is 70 %.

- balance of goods on 01.12 – 280 000 UAH (in purchase price);
- retail turnover – 780 000 UAH, wholesale turnover – 160 000 UAH;
- received goods from the warehouse on invoices – 610 000 UAH.

4. Propose an algorithm of pharmaceutical care for symptomatic treatment of anxiety in the patient with arterial hypertension. Propose a list of effectiveness/safety criteria. Provide an informational and counseling service regarding the use of the medicine “Valerian tincture”.

Situation 23

The CPL of Pharmaceutical company “Zdorovye” carries out certification of a batch of the medicine “Cordiaminum-Zdorovye” solution for injections 250 mg/mL, ampoule 2 mL, blisters, pack, No. 10.

1. Carry out the identification of nikethamide in the dosage form by reacting to the pyridine cycle and quantitative determination by refractometric method. Make a conclusion about the compliance of the results with the requirements of QCT. Describe the main metabolic pathways of this medicinal product.

2. Check the sealing of ampoules of cordiaminum solution for tightness; make a conclusion about quality of sealing. Name other methods of quality control of solutions for injection in ampoules according to requirements of the SPhU.

3. Determine the social-psychological management style of the general director of the pharmaceutical company, who independently solves all issues of the future existence of the organization, he has limited contact with subordinates. He is resolute, authoritative, strong-willed, tough in relation to others; he does not accept objections. In the communicative process he uses business, brief instructions. His praise and reproach of employees are extremely subjective, emotions of subordinates and colleagues are not taken into account. The organization is characterized by strategic planning with only immediate goals for each employee. The leader's voice is decisive, and his position is outside the group. Justify your answer, describe other management styles.

4. Compose a list of main symptoms and syndromes of chronic heart failure, define approaches to its treatment. Propose a list of effectiveness/safety criteria of the chronic heart failure treatment. Substantiate the reasonability of using inhibitors of ACE enzymes in the therapy of chronic heart failure.

Situation 24

Arterium Corporation received a batch of medicinal plant raw material for medicine “Recutan” production.

1. Identify medicinal plant raw material by morphological and anatomical features. Suggest a method of obtaining essential oil from this medicinal plant raw material. Perform an organoleptic analysis and determine main physical indicators of the quality of essential oil.

2. Carry out a sieve (fractional) analysis of vegetable raw materials - chamomile flowers and make a conclusion about the compliance of the degree of grinding of this raw material to requirements of the SPhU regarding its use for production of extraction medicines.

3. The pharmacy received a product from the wholesale company "Ametrin". During the entrance control, a mismatch of the batch number on the package and in the manufacturer's quality certificate of the medicine (“Recutan”, liquid in a glass bottle, 100 mL of Arterium Corporation) was found. Suggest the algorithm of actions of the authorized person when establishing a mismatch of the batch number on the packaging and the quality certificate.

4. Compose an algorithm of pharmaceutical care for symptomatic treatment of sore throat in the young woman with type I diabetes mellitus in her medical history. Propose a list of effectiveness/safety criteria of the treatment. Provide an informational and counseling service regarding the use of the medicine “Recutan”.

Situation 25

LLC “Research Plant State Research Center of Medicines” received a batch of medicinal plant raw material for medicine “Mucaltin”, tablets 50 mg No. 30, production.

1. Identify medicinal plant raw material by morphological and anatomical features. With the help of identification reactions confirm the presence of the main

class of biologically active substances in medicinal plant raw material, propose a method for its quantitative determination.

2. Give appropriate calculations, demonstrate technological operations for the preparation of the mixture (using dry standardized extract-concentrate of Marshmallow root (1:1)) according to the prescription:

Rp.: Infusi radices Althaeae 80 mL

Natrii benzoatis 2.0

Liquoris Ammonii anisati 3mL

Sirupi simplicis 5 mL

Misce. Da. Signa: Use 1 table spoon 3 times a day

(Dry standardized extract-concentrate of Marshmallow root CVI=0,61)

Write the front side of the written control passport, perform operations on packaging and labeling.

3. Calculate the salary of a technologist at LLC “Research Plant State Research Center of Medicines” Ivanova V.I. for December. According to the timesheet, she worked 22 working days according to the schedule in a month and also worked overtime on the holiday of December 25. Salary of Ivanova V.I. – UAH 15 600. Explain the procedure for charging additional payments for overtime work and work on holidays. Indicate mandatory deductions from wages.

4. Propose an algorithm of pharmaceutical care for symptomatic treatment of cough in the patient with a gastrointestinal disorder. Propose a list of effectiveness/safety criteria. Provide an informational and counseling service regarding use of the medicine “Mucaltin”.

Situation 26

A diabetic visitor turned to pharmacy No. 1 with a request to recommend a vitamin complex from those presented in the showcase of the pharmacy.

1. Name and demonstrate the rules of placement of medicines on shelves and showcases of the pharmacy according to basic principles of merchandising.

2. Give appropriate calculations, demonstrate technological operations for the preparation of the powder according to the prescription:

Rp.: Riboflavini 0.005

Acidi ascorbinici 0.05

Glucosi 0.1

Misce, ut fiat pulvis

Da tales doses No. 6

Signa: Use 1 powder 3 times a day

Write the front side of the written control passport, perform operations on packaging and labeling.

3. Identify by morphological features medicinal plant raw material included in the vitamin species No. 2. Suggest methods of analysis of the main class of biologically active substances in medicinal plant raw material. Name medicines, their use in the health care.

4. Explain to a pharmacy visitor the reasonability of prescribing him by a physician a polyvitamin medicine (vitamins B₁+B₆+B₁₂) as a part of the complex therapy of diabetes mellitus. Propose a list of effectiveness/safety criteria for the therapy of diabetes complications caused by microangiopathy.

Situation 27

PJSC SIC “Borshchahivskiy CPP” received a batch of medicinal plant raw material for medicine “Digoxin” production.

1. Identify medicinal plant raw material by morphological and anatomical features. With the help of identification reactions confirm the presence of the main class of biologically active substances in medicinal plant raw material, propose a method for its quantitative determination.

2. Give appropriate calculations, demonstrate technological operations for the preparation of the infusion (using dry standardized extract-concentrate of Foxglove leaves (1:1)) according to the prescription:

Rp.: Infusi foliorum Digitalis ex 0.25 100 mL

Da. Signa: Use 1 table spoon 3 times a day

(Dry standardized extract-concentrate of Foxglove leaves HSD – 0,1, HDD – 0,5)

Write the front side of the written control passport, perform operations on packaging and labeling.

3. Prepare financial statements (balance sheet) on the basis of accounting data, if final balances on the accounts are:

- equity – 1 858 359 000 UAH;
- non-current assets (residual value) – 1 255 531 000 UAH;
- goods (commodity) – 468 929 000 UAH;
- money – 30 840 000 UAH;
- accounts receivable – 356 147 000 UAH;
- long-term liabilities – 83 099 000 UAH
- company's debt to the budget – 35 731 000 UAH;
- company's debt to suppliers – 108 949 000 UAH;
- company's debt to employees – 22 616 000 UAH;
- short-term bank loans – 2 693 000 UAH.

4. Provide pharmaceutical care to the patient with chronic heart failure (Functional class III) in the process of dispensing by the prescription the medicine "Digoxin". Describe clinical and pharmaceutical characteristics of cardiac glycosides and propose a list of effectiveness/safety criteria of the chronic heart failure treatment.

Situation 28

A visitor turned to the pharmacy No. 1 with a request to recommend a cold medicine. The visitor complained about sore throat and runny nose. The pharmacist gave a consultation, released the appropriate over-the-counter medicine, and informed the visitor about rules of admission, methods of application, side effects of the medicine.

1. Identify the type of communication, possible obstacles that may arise in

organizational communications and recommend ways to overcome them.

2. Give appropriate calculations, demonstrate technological operations for the preparation of nasal drops with Protargol according to the prescription:

Rp.: Sol. Protargoli 1 % 10 mL

Da. Signa: Use 3 drops in the nose 3 times a day

Write the front side of the written control passport, perform operations on packaging and labeling.

3. Identify by morphological features medicinal plant raw material from which the essential oil is obtained, the main component of which is 1,8-cineole, which is a part of medicine “Ingalipt”. Suggest a method of obtaining the main class of biologically active substances from medicinal plant raw material and indicators that characterize its quality. Name medicines, their use in the health care.

4. Check for “threatening” symptoms in a patient with a sore throat and runny nose. Compose an algorithm of pharmaceutical care for symptomatic treatment of runny nose in a patient with arterial hypertension (Stage II, 150/100 mm Hg). Explain features of using topical dosage forms for treatment of cold symptoms.

Situation 29

In the laboratory for quality control of medicines the analysis of extemporaneous medicine is carried out according to the prescription:

Take: Sol. Riboflavini 0.02 % 10 mL

Natrii chloridi 0.09

M.D.S.: 2 drops in both eyes

1. Carry out the identification and quantitative determination of riboflavin, provide the equation and formula for the calculation. Explain what changes may occur with this dosage form if stored incorrectly or when storage term is exceeded.

2. Give appropriate calculations, demonstrate technological operations for the preparation of ophthalmic drops according to the above prescription, write the front side of the written control passport, perform operations on packaging and labeling.

3. Calculate the cash balance at the end of the day. Give the algorithm of actions when cashing in a pharmacy.

- cash balance at the beginning of the day – 3 800 UAH;
- revenue of pharmacy – 145 000 UAH;
- revenue of the pharmacy point No. 1 – 86 000 UAH;
- revenue of the pharmacy point No. 2 – 115 000 UAH;
- money issued under the report (for the purchase of disinfectants) – 180 UAH.

4. Explain to the pharmacy visitor the expediency of vitamin supplementation in viral infections counteraction. Characterize the vitamins possessing an immunotropic effect as well as an evidence-based proof of effectiveness in COVID-19 combined therapy. Propose an algorithm for pharmaceutical care during the dispensing of vitamin and mineral complexes for the prevention of seasonal hypovitaminosis.

Situation 30

The CPL of “JSC Lubnypharm” carries out certification of a batch of “Acetylsalicylic acid”, tabl. 500 mg.

1. Carry out the assay of acetylsalicylic acid in tablets by alkalimetric titration. Make a conclusion about the compliance with requirements of the QCT. Describe the main pathways of acetylsalicylic acid's metabolic transformations, and recommend its storage conditions, considering its physicochemical and chemical properties.

2. Check acetylsalicylic acid tablets, 500 mg ($\varnothing = 7$ mm) for compressibility by their mechanical strength according to the SPhU. Make a conclusion about quality of studied tablets. Justify what factors affect the compressibility of the tablet mass.

3. Draw a graph by given data of sales volumes of the medicine “Acetylsalicylic acid”, tablets 0.5 No. 10 and define its life cycle stage:

Volume of sales, million units							
1 year	2 year	3 year	4 year	5 year	6 year	7 year	8 year
0.5	1.0	2.8	3.2	3.3	3.4	3.5	3.5

Propose a marketing strategy of marketing of the medicine on this life cycle. Justify features of marketing activities of pharmaceutical companies at each stage of the product life cycle.

4. Aspirin was used as an antipyretic in a 12-year-old child with COVID-19 (moderate severity) which had had a medical history of ibuprofen intolerance. 3 days after the start of treatment, continuous vomiting developed and progressive neurological symptoms appeared: inadequate behavior, irritability, apathy. Very soon the drowsiness was replaced by stupor, the child was hospitalized. Give the name of this complication of therapy (of this side effect). Explain the main approaches to the choice of antipyretics in children.

Situation 31

The CPL of “JSC Kyiv Vitamin Plant” carries out incoming control of glutamic acid substance, which will be used for the production of tablets.

1. Carry out identification and tests for purity of glutamic acid substance by polarimetric method. Make a conclusion about the compliance of obtained results with requirements of the SPhU. Give examples of optically active medicinal products and the influence of optical isomerism on the manifestation of pharmacological activity.

2. Determine the bulk density of glutamic acid substance. Draw conclusions from the result. Justify the purpose for which this test is conducted.

3. CZL «PJSC Kyiv Vitamin Plant» must buy 50 000 packages of glutamic acid for the warehouse. Calculate the optimal size of the batch of raw materials and the frequency of its procurement during the year, if the cost of servicing procurement is planned in the amount of 4 UAH. per unit of goods; the cost of maintaining inventory is 0.4 UAH/unit. Give the concept of logistics and formulate the basic rules of logistics.

4. Check for “threatening” symptoms by questioning a pharmacy visitor with anxiety. If responsible self-treatment is possible, propose the medicine for treatment of anxiety. Explain advantages and rules of the use of proposed medicine.

Situation 32

Pharmacy No. 7 of Pharm Life LLC was approached by a patient with a prescription for “Glibenclamide”, tablets No. 30, that was prescribed by a doctor. When the medicine was released, the pharmacist informed the patient about rules of administration, methods of use and side effects of the medicine.

1. Make a scheme of the communication process between the pharmacist and the patient, applying knowledge about main stages and elements of the communication process.

2. Determine the disintegration time of “Glibenclamide” tablets according to the SPhU. Make a conclusion about the compliance of obtained results with requirements of the SPhU. Name factors that affect the rate of tablets disintegration.

3. Identify by morphological features medicinal plant raw material – leaves that have a hypoglycemic effect. Suggest methods of analysis of the main class of biologically active substances in medicinal plant raw material. Name medicines, their use in the health care.

4. Advise the young physician-intern regarding the possibility to prescribe the antihypertensive medicines of the first choice (“first line”) to a patient with both arterial hypertension and diabetes mellitus. Provide an informational and counseling service regarding the use of the medicine “Glibenclamide” and propose a list of effectiveness/safety criteria of its use.

Situation 33

Pharmaceutical company “Zdorovye” received a batch of medicinal plant raw material for medicine with an extract of Belladonna leaves “Besalol” production.

1. Identify medicinal plant raw material by morphological and anatomical features. With the help of identification reactions confirm the presence of the main class

of biologically active substances in medicinal plant raw material, propose a method for its quantitative determination.

2. Give appropriate calculations, demonstrate technological operations for the preparation of the powder with Belladonna extract according to the prescription:

Rp.: Extracti Belladonnae 0.015

Papaverini hydrochloridi 0.01

Sacchari 0.2

Misce, ut fiat pulvis

Da tales doses No. 6

Signa: Use 1 powder 3 times a day

(Extract Belladonnae HSD – 0,05, HDD – 0,15, papaverini hydrochloride HSD – 0,2, HDD – 0,6)

Write the front side of the written control passport, perform operations on packaging and labeling.

3. Determine by analytical or graphical methods the critical sales volume (break-even point) of the medicine “Besalol” tabl. No. 6 produced by the pharmaceutical company “Zdorovye”:

№	Indicator	Symbols	Total, UAH
1.	Fixed costs	FC	45 000
2.	Variable costs	VC	74 000
3.	Sales volume, units	Q	11 000
4.	Price per unit, UAH	p	18.0

Justify your results. Name other pricing methods.

4. Compose a list of disorders associated with abdominal pain. Propose an algorithm of pharmaceutical care for a patient complaining of recurrent spasm pain and flatulence. Propose a pharmacological substitution of the medicine “Besalol”.

Situation 34

PJSC “Liktravy” received a batch of medicinal plant raw material for medicine “Vitamin species No. 2” production.

1. Identify medicinal plant raw material by morphological and anatomical

features. Suggest methods of qualitative analysis and quantify ascorbic acid in medicinal plant raw material.

2. Prepare 100.0 g of simple sugar syrup, on the basis of which medicinal syrup “Cholosas” which contains an extract from rose hips is made. Name features of technology of medicinal syrups and excipients used in their production.

3. For the successful promotion of new medicines based on herbal raw materials, PJSC «Liktravy» wants to form an external service that will cooperate with pharmacists and doctors. Calculate the number of medical staff if the firm's customer base is 1000 customers who buy medicine «A» and 500 customers who buy medicine «B». Frequency of visits of medical representatives to each of the clients of the first group — 20 times a year, clients of the second group – 30 times a year. The load per medical representative is 800 visits per year. Give the advantages of product promotion by medical representatives.

4. Substantiate a reasonability of using the medicine containing Rose Hips (*Rosa Canina* fruits) by the patient with the following diagnosis: *Chronic persistent hepatitis with cholestasis occurrence*. Propose a list of effectiveness/safety criteria for use of the medicine. Provide an informational and counseling service regarding the use of the medicine “Cholosas”.

Situation 35

Pharmaceutical company “Pharm Life”, which operates on the territory of Ukraine, has external service. Medical representatives ensure the implementation of plans to promote the market cough medicine with plantain extract in the form of syrup.

1. Calculate the required number of medical representatives for a pharmaceutical company working with 950 pharmacies, including 50 pharmacies of the type “A” (large pharmacies with high sales potential), 300 pharmacies of the type “B” (medium sized pharmacies with sufficient sales potential); 600 pharmacies of the type “C” (small or average pharmacies with low sales potential). Planned number of visits makes 52, 26,

12 visits a year on each group of pharmacies; one medical representative carries out 14 visits in one working day; working week makes 5 days, 8 weeks a year are necessary for vacations and days of temporary disability. Specify functional responsibilities of medical representatives and indicators of control over their work.

2. Carry out identification and tests for purity of acetylcysteine substance according to the value “Specific optical rotation” and make a conclusion about the compliance of obtained results with requirements of the EuPh and SPhU. Give background for the use of polarimetry method to assess the quality of the drug. Give examples of the binding of toxic metabolites by acetylcysteine.

3. Give appropriate calculations, demonstrate technological operations for the preparation of the ointment with Menthol according to the prescription:

Rp.: Mentholi 0.03

Lanolini 1.0

Vaselini 10.0

Misce, ut fiat unguentum

Da. Signa: For rubbing when coughing

Write the front side of the written control passport, perform operations on packaging and labeling.

4. Compose an algorithm of pharmaceutical care for symptomatic treatment of cough in a patient with obstructive bronchitis in her medical history. Check for “threatening” symptoms in a patient with a cough. Provide an informational and counseling service regarding the use of the medicines “Plantain syrup” and Acetylcysteine.

Situation 36

The pharmacist of the pharmacy No. 7 provided the visitor with a consultation on medicines of hepatoprotectors (in the form of capsules), that he was interested in. The visitor was quite curious and could not decide on the choice. A queue was formed in the pharmacy. After 15 minutes of waiting in a queue, other visitors of the pharmacy began to resent. There was a conflict between the

pharmacist and visitors. Pharmacist could not sell the medicine without prior consultation, she explained to visitors that it is necessary to wait a little, but in response she heard their dissatisfied comments.

1. Name the type of the conflict between the pharmacist and pharmacy visitors. Explain main types and causes of conflicts. Suggest ways to prevent and resolve them.

2. Prepare hard gelatin capsules with caps, which are used in the manufacture of hepatoprotector medicine “Silibor Max 140 mg”. Explain the method of hard gelatin capsules production and give the composition of gelatin mass.

3. Identify by morphological features medicinal plant raw material - seeds that have a hepatoprotective effect. Suggest methods of analysis of the main class of biologically active substances in medicinal plant raw material according to the SPhU 2.0. Name medicines, their use in the health care.

4. Explain to a pharmacy visitor clinical and pharmacological features of main groups of medicines with hepatoprotective activity. Propose a list of effectiveness/safety criteria for the therapy of a patient with liver cirrhosis and hepatic encephalopathy occurrence. Provide an informational and counseling service regarding the use of the medicine “Glutargin”.

Situation 37

Pharmacist-analyst of the pharmacy carries out quality control of extemporaneous medicine:

5 % glucose solution for injection

1. Carry out the identification and quantification of glucose in the medicine by polarimetric method. Make a conclusion about the quality of the product in terms of glucose content in the accordance with requirements of the Order of the Ministry of Health of Ukraine No. 812 dated 17.10.2012.

2. Give appropriate calculations, demonstrate technological operations for the preparation of 50 mL of 5 % Glucose solution for injection (humidity of glucose 9 %), write the front side of the written control passport, perform operations of packaging and labeling.

3. Calculate the sickness benefit (amount of temporary disability assistance) for 5 days to the pharmacist Ivanova A. A., who works as a pharmacist-analyst of pharmacy No. 5 and performs the functions of an authorized person. The monthly salary of Ivanova A. A. is 7 800 UAH, and the amount of premiums in this year is 19 600 UAH. Work experience is 11 years.

4. Compose a list of main symptoms of hypoglycemia syndrome and early signs of hypoglycemic coma. Explain to patients with diabetes mellitus how to take appropriately hypoglycemic medicines to prevent hypoglycemia.

Situation 38

Production department of the pharmacy “Leda” in Kharkiv received a prescription for an extemporaneous medicine:

Rp.: Sol. Laevomycetini 0.25 % 20 mL

Misce. Da. Signa: Use 2 drops 6 times a day in the left eye

1. Give appropriate calculations, demonstrate technological operations for the preparation of this medicine, write the front side of the written control passport, perform operations on packaging and labeling.

2. Carry out organoleptic and physical control of the medicine in the accordance with requirements of the Order of the Ministry of Health of Ukraine No. 812 dated 17.10.2012. Give the name of the active substance according to the INN. Describe the dependence of its pharmacological activity on optical isomerism. Explain how chemical modification of chloramphenicol can improve its organoleptic properties and solubility.

3. Plan the standard of commodity stocks for the next year in monetary terms, if:

- commodity circulation (turnover) – 12 000 000 UAH;
- level of trading imposing – 26%;
- days of supply (stock) – 12 days.

4. Explain to a pharmacy visitor basic approaches to the rational antibacterial therapy and the impact of treatment compliance. Give examples of poor compliance during antibacterial therapy. Provide a counseling service regarding the use of a 0.25 % solution of Levomycetin.

Situation 39

The visitor of the pharmacy, having presented certificates of combatants, insists that according to the current legislation of Ukraine he has the right to receive free of charge medicines. The list of necessary medicines is written on a sheet of notebook paper

- | | | |
|---------------------------------|---------------------------------------|--|
| • Aspirin Cardio, tab. No. 20 | • Amizon, tab. No. 10 | • Decristol D ₃ 2000 IU |
| • Clotrimazole cream 1 % – 15 g | • Ascocin (Vit. C + Zn), tab. No. 100 | • Poltech DTPA (radiopharmaceutical preparation) |
| • Zopiclon, tab. | • Tincture Leonuri, fl. 25 mL | • Azymed® capsules 250 mg No. 6 |
| • Soothing species 50 g | • Thiopental sodium (for anesthesia) | • Foscavir (the medicine is not registered in the State Register of medicines) |

1. Describe the algorithm of actions of the pharmacist, explain the procedure for the regulation of free and favorable realization of medicines in Ukraine. Explain the procedure for dispensing each of these medicines.

2. Give appropriate calculations, demonstrate technological operations for the preparation of the ointment with Dimedrol according to the prescription:

Rp.: Dimedroli 0.05

Sol. Adrenalini hydrochloridi (1:1000) 1.5 mL

Lanolini 5.0

Vaselini 10.0

Misce, ut fiat unguentum

Da. Signa: Ointment for nose

Write the front side of the written control passport, perform operations on packaging and labeling.

3. Carry out identification of epinephrine hydrochloride in a dosage form. Make a conclusion about its quality. Describe the main metabolic pathways of this medicinal product.

4. Substantiate the expediency of "Aspirin Cardio" use in a patient with COVID-19 pneumonia. Propose a list of efficacy/safety criteria for this drug. Provide information and advice on the conditions of the rational use of the drug "Aspirin Cardio".

Situation 40

During the day, the pharmacy received prescriptions for the production of extemporaneous medicines (prescription set No. 1).

<p>Rp.: Codeini phosphatis 0,1 Natrii bromidi 2,0 Kalii bromidi 3,0 Aquae purificatae ad 300 ml M.D.S.: 1 tbsp. 3 times a day.</p>	<p>Rp.: Ephedrini hydrochloridi 0,025 Sacchari 0,3 Misce ut fiat pulvis D.t.d. №20 S.: 1 powder 3 times a day.</p>	<p>Rp.: Sol. Aethylii morphini hydrochloridi 2% - 10 ml. D. S. 1 drop in the right eye 2 times a day.</p>	<p>Rp.: Acidi ascorbinici 0,1 Sacchari 0,15 Misce, ut fiat pulvis Da tales doses №30 S.: 1 powder 3 times a day.</p>
--	--	---	--

1. Select the prescriptions, that contain controlled substances. Make an algorithm of pharmacist's actions regarding the receiving of prescriptions, their accounting and storage.

2. Give appropriate calculations, demonstrate technological operations for the preparation of the powder with Dimedrol according to the prescription:

Rp.: Dimedroli 0.02

Sacchari 0.1

Misce, ut fiat pulvis

Da tales doses No. 6

Signa: Use 1 powder 3 times a day

(Dimedrol HSD – 0,1, HDD – 0,3)

Write the front side of the written control passport, perform operations on packaging and labeling.

3. Carry out organoleptic and physical control of the dosage form with dimedrol in the accordance with requirements of the Order of the Ministry of Health of Ukraine

No. 812 dated 17.10.2012. Give the main regularities of the “structure-activity” relationship in a range of antihistamines from the group of alkylamines.

4. While weighing extemporaneous powder a pharmacy assistant accidentally inhaled a substance that caused the development of angioneurotic edema Quince. Compose a list of main clinical manifestations of Quince’s edema and substantiate the reasonability of using H_1 -histamine receptor blockers. Propose a list of effectiveness/safety criteria for their use.

Situation 41

Pharmaceutical companies (PJSC “Kyivmedpreparaty”, PJSC “Halychpharm”, etc.) produce “Paracetamol”, tablets 500 mg No. 10 in primary blister packs.

1. Determine friability of these tablets according to requirements of the SPhU. Make a conclusion of the compliance of obtained results to requirements of the SPhU. Name factors that affect this quality indicator of tablets.

Carry out the identification of paracetamol substance according to the monograph of the EuPh and SPhU (reactions D, E). Describe the main pathways of paracetamol metabolism and explain its possible hepatotoxicity.

2. Assess the effectiveness of marketing communications of pharmaceutical companies Kyivmedpreparaty and Halychpharm. In order to promote Paracetamol tablets, they allocated funds for the organization of scientific and practical conferences (8.800 UAH and 30.300 UAH respectively), and for advertising (16.400 UAH and 24.2000 UAH respectively). These marketing activities brought Kyivmedpreparaty a profit of 56.000 UAH and Halychpharm – 262.000 UAH. Choose the possible elements of marketing communications for the promotion of the drug "Paracetamol".

3. Compose an algorithm of pharmaceutical care for symptomatic treatment of a tension headache in a student in the period of preparing for graduate exams. Explain clinical and pharmaceutical features of using combined analgesics. Provide an informational and counseling service regarding the use of the medicine “Paracetamol”.

Situation 42

Production department of the pharmacy No. 195 in Kharkiv received a prescription for an extemporaneous medicine for the liquidator of Chernobyl accident:

Rp.: Sol. Acidi hydrochlorici 2 % 100 ml

Pepsini 1.0

M. D. S.: Use 1 table spoon 3 times a day

(Acidi hydrochlorici HSD – 2 ml, HDD – 6 ml)

1. Give appropriate calculations, demonstrate technological operations for the preparation of this medicine, write the front side of the written control passport, perform operations on packaging and labeling.

2. Carry out physical control and identification of hydrochloric acid. Make a conclusion about the compliance of obtained results with requirements of the Order of the Ministry of Health of Ukraine No. 812 dated 17.10.2012. Describe the role of acid-base properties in the pharmacokinetics of medicinal products.

3. Make an algorithm of the pharmacist's actions for receiving a prescription (see p. 1) and dispensing a medicine (in particular, explain the rules for formatting a prescription, its accounting and storage in a pharmacy). Explain the peculiarities of price formation for extemporaneous medicines.

4. Substantiate the reasonability of the prescription given to the patient with the following diagnosis: *Chronic atrophic gastritis, remission phase*. Propose concomitant treatment of maldigestion syndrome as well as the list of effectiveness/safety criteria for the use of proposed medicines.

Situation 43

The pharmacy visitor provided to the pharmacist a list of medicines he needed to buy:

Ceftriaxone, powder for solution 1.0 g, No. 10

Codeine phosphate tab. 30 mg

Linex forte, caps. No. 20

Ketamine, sol. inject., amp. 100 mg / 2 ml No. 5

Sonovan (zopiclone) tab. 7.5 mg, No. 10

Coldrex Maxgrip, powder for oral solution, No. 10

Atropine sulfate sol. inject. 1 mg/ml amp. 1 ml, No. 10

1. Indicate the form of dispensing of the given medicines from a pharmacy (for prescription drugs – procedure for formatting a prescription, validity and storage period).

2. Determine the flowability of ascorbic acid substance, which is a part of tablets “Vitamin C 500” No. 30. Draw a conclusion about results. Justify the purpose for which this test is conducted.

3. Describe the main pathways of codeine phosphate metabolism. Give the main regularities of the “structure-activity” relationship in a range of narcotic analgesics from the isoquinoline group.

4. Check for cold symptoms in a pharmacy visitor by asking questions. Depending on the symptom define the possibility of responsible self-treatment and advise the patient on the non-prescription medicine to treat the symptom. Provide an informational and counseling service regarding the use of the medicine.

Situation 44

Medicines were delivered to pharmacy No. 15 from the wholesale pharmaceutical company "Optima":

Trade name	Producer, country	The presence of National list of essential medicines / Government Program "Affordable Medicines"	Purchase price without VAT, UAH.
Diclofenac (diclofenac) Ultra, tube of 100 g	Zdorovya LLC, Ukraine	+/-	148,00
Phenobarbital-ZN (phenobarbital) tab. 100 mg of No. 50	Zdorovya LLC, Ukraine	+/-	82,00
Pulmicort (budesonide) susp. for spraying	Astra Zeneca AB, Sweden	+/+	730,00

1. Set retail prices for medicines and explain the specifics of state regulation of prices for medicines included in the National List of essential medicines and the government program "Affordable Medicines".

2. Give appropriate calculations, demonstrate technological operations for the preparation of the mixture with Phenobarbital according to the prescription:

Rp.: Phenobarbitali 0.2

Chlorali hydratis

Natrii bromidi ana 2.0

Aquae purificatae 80 mL

Sirupi simplicis

Tincturae Valerianae ana 5 mL

Misce. Da.Signa: Use 1 table spoon 3 times a day

(Phenobarbital HSD – 0,2, HDD – 0,5; Chloralhydrate HSD – 2,0, HDD – 6,0)

Write the front side of the written control passport, perform operations on packaging and labeling.

3. Carry out identification of phenobarbital substance according to requirements of the EuPh and SPhU (tests B and D). Give the main regularities of the structure-activity relationship for drugs, that are barbituric acid derivatives.

4. Inform an elderly pharmacy visitor about features of combined use of Phenobarbital with other medicines. Provide examples, explain clinical manifestations and propose a list of safety criteria for combined use.

Situation 45

A visitor addressed to your pharmacy with the prescriptions, «Becloforte Evohaler» (beclomethasone), which he has been taking for the treatment of bronchial asthma during the long period of time.

Rp.: Aeros. «Becloforte Evohaler» 250 mkg/dose – 200 doses

D. S. 2 inhalations 2 times a day

1. Provide pharmaceutical care to a pharmacy visitor considering that at the same

time he asked for advice on a medicine to treat sore throat associated with a change in voice. Besides a visitor complains about stomatitis (white spots in the oral cavity). Provide the substantiated recommendation.

2. Check the aerosol containers of Becloforte Evohaler for leaks.

3. Identify by morphological features medicinal plant raw material, medicines from which are used to treat stomatitis. Suggest a method of obtaining the main class of biologically active substances from medicinal plant raw material and indicators that characterize its quality.

4. Analyze the economic efficiency of the pharmacy's activity, if:

- the total turnover of the pharmacy – UAH 17 993 000;
- the average level of trade overlays – 26 %;
- the amount of expenses – UAH 4 158 000.

Calculate the profit and profitability of the pharmacy for the reporting period.

Situation 46

A woman turned to your pharmacy with the prescription for «Lisinopril», ordered by a doctor for treatment of essential arterial hypertension:

Rp.: Tab. Lisinopрили 0.01 No. 30

D.S.: 1 tablet per day

1. Provide pharmaceutical care to a pharmacy visitor considering that at the same time she asked for advice on the medicine to treat dry cough. Provide the substantiated recommendation. Provide an informational and counseling service regarding use of the medicine “Lisinopril”.

2. Determine the friability of tablets “Lisinopril” 0.01 № 30 according to the SPhU. Make a conclusion about the compliance of obtained results with requirements of the SPhU. Justify what factors affect this indicator of tablet quality.

3. Carry out identification and tests for purity of lisinopril dihydrate substance by the test “Specific optical rotation” and estimate the result. Describe the structural

features and main regularities of the “structure-activity” relationship in the range of angiotensin-converting enzyme inhibitors.

4. Calculate how many units of the medicine must be sold by the wholesale pharmaceutical company to maintain profits at the same level, if they buy the medicine “Lisinopril” at a price of 79.00 UAH per package and sold at a price of 95.00 UAH. Weekly sales volume is 400 units. Marketing department recommends reducing the price by 10 % for one week. Describe the factors that affect pricing.

Situation 47

Pharmaceutical company “Merkle GmbH” (Germany) produces medicine in gelatin capsules “Actiferin”.

1. Determine the average weight of capsules and deviation from it according to requirements of the SPhU. Make a conclusion about obtained results.

2. Carry out identification of ferrous sulfate heptahydrate substance by the reaction for iron and sulfates according to the monograph of the EuPh and SPhU. Give the reactions of possible interaction of iron preparations with medicinal products and recommend their possible simultaneous use.

3. Schematically illustrate possible sales channels of the medicine. Determine the rating of the wholesale pharmaceutical companies and choose the optimal supplier of the medicine.

Selection criterion	Weight of the criterion	Evaluation of the supplier of medicines, points	
		Supplier A	Supplier B
Completeness of the range	0.3	5	3
Prices, discounts, payment terms	0.5	5	5
Level of service	0.1	3	4
Reliability	0.1	3	4
Total	1.0		

4. Explain to a pharmacy visitor clinical and pharmaceutical feature of using iron medicines. Propose effectiveness and safety criteria of their use for prophylaxis as well as for therapy of iron-deficiency conditions.

Situation 48

A woman addressed to your pharmacy with the prescription for «Celecoxib», ordered to her by a doctor for the rheumatoid arthritis treatment:

Rp.: Caps. “Celecoxib” 0.2 No. 10

D.S.: 1 caps. per day

1. Provide pharmaceutical care to a pharmacy visitor considering that at the same time she asked for an ointment containing Methyl salicylate that she uses regularly to treat joint pain. During the conversation, a woman asked to talk louder because she hears poorly due to the noise in the ears appearing for the last week. Provide the substantiated recommendation.

2. Determine the average weight of encapsulated content of Celecoxib capsules – 0.2 and the deviation from it according to the SPhU. Make a conclusion about the compliance of obtained results with requirements of the SPhU.

3. Identify by morphological characteristics medicinal plant raw material containing menthol, which is a component of the ointment used by the pharmacy visitor. Suggest a method of obtaining the main class of biologically active substances from medicinal plant raw material and indicators that characterize its quality. Name medicines, their use in the health care.

4. Identify communication barriers that may arise in the process of communication between the pharmacist and the visitor and recommend ways to overcome them.

Situation 49

Pharmaceutical company OJSC “Ternopil Pharmaceutical Factory” produces Lily of the Valley tincture.

1. Carry out preliminary calculations and load the percolator with vegetable raw materials and extractant to obtain 150 mL of this tincture. Describe presented method of tincture obtaining.

2. Identify by morphological features medicinal plant raw material from which Lily of the Valley tincture is obtained. Suggest methods of analysis of the main class of biologically active substances in medicinal plant raw material. Name medicines, their use in the health care.

3. The pharmacy received a product from the wholesale company "Optima". During the incoming control, the Authorized Person discovered the lack of tightness of the "Lily of water tincture" packaging in bottles of 25 ml series 41017 (produced by OJSC Ternopil Pharmaceutical Factory, Ukraine). Suggest an algorithm of the authorized person's actions of the pharmacy when violations are detected.

4. Compose an algorithm of pharmaceutical care for symptomatic treatment of anxiety in an elderly man. Explain clinical and pharmaceutical features of using herbal sedative medicines. Provide an informational and counseling service on preventing complications when using sedative medicines that contains cardiac glycosides.

Situation 50

Production department of the pharmacy No. 9 in Kharkiv received a prescription for an extemporaneous medicine:

Rp.: Codeini phosphatis 0.01

Camphorae 0.05

Natrii hydrocarbonatis 0.2

Misce, fiat pulvis

Da tales doses No. 6

Signa: Use 1 powder 3 times a day

(Codeini phosphatis HSD – 0,1; HDD – 0,3)

1. Give appropriate calculations, demonstrate technological operations for the preparation of this medicine, write the front side of the written control passport, perform operations on packaging and labeling.

2. Identify by morphological features medicinal plant raw material that are the source of camphor. Give Latin names of medicinal plant raw material, plants and

families that are sources of natural and semi-synthetic camphor. Name medicines that contain camphor, their use in the health care.

3. Explain the pharmacist's procedure of receiving a prescription (see p. 1) and dispensing a medicine. Explain the peculiarities of price formation for extemporaneous medicines. Calculate the price of the prescription.

4. Compose an algorithm of pharmaceutical care for symptomatic treatment of cough in a middle-aged man with an acute respiratory viral infection. Explain clinical and pharmaceutical approaches to choosing medicine for responsible self-treatment. Provide an informational and counseling service regarding the use of antitussive medicines containing codeine.

EXAMPLE OF AN EXAMINATION PAPER

Φ A 2.2.1-36-242

**MINISTRY OF HEALTH OF UKRAINE
NATIONAL UNIVERSITY OF PHARMACY**

APPROVED BY

The first vice-rector of a higher
education institution from the Scientific
and Pedagogical Work

Name SURNAME
«__» 20__

Higher education level Second (master's)
(the name of Higher education level)
Field of knowledge 22 Health
(Code and Knowledge Field Name)
Specialty 226 Pharmacy and industrial pharmacy
(Code and Specialty Name)
Educational program Pharmacy
(Educational Program Name)
Educational component Comprehensive practice-oriented qualification exam in Pharmacy
(the name of Educational component)

EXAMINATION TICKET №

Analyze the proposed situation and justify your answer.

Situation

Pharmaceutical companies (PJSC “Kyivmedpreparaty”, PJSC “Halychpharm”, etc.) produce “Paracetamol”, tablets 500 mg № 10 in primary blister packs.

1. Determine friability of these tablets according to requirements of the SPhU. Make a conclusion of the compliance of obtained results to requirements of the SPhU. Name factors that affect this quality indicator of tablets.

2. Carry out the identification of paracetamol substance according to the monograph of the EuPh and SPhU (reactions D, E). Describe the main pathways of paracetamol metabolism and explain its possible hepatotoxicity.

3. Assess the effectiveness of marketing communications of pharmaceutical companies Kyivmedpreparaty and Halychpharm. In order to promote Paracetamol tablets, they allocated funds for the organization of scientific and practical conferences (8.800 UAH and 30.300 UAH respectively), and for advertising (16.400 UAH and 24.2000 UAH respectively). These marketing activities brought Kyivmedpreparaty a profit of 56.000 UAH and Halychpharm – 262.000 UAH. Choose the possible elements of marketing communications for the promotion of the drug “Paracetamol”.

4. Compose an algorithm of pharmaceutical care for symptomatic treatment of a tension headache in a student in the period of preparing for graduate exams. Explain clinical and pharmaceutical features of using combined analgesics. Provide an informational and counseling service regarding the use of the medicine “Paracetamol”.

Approved at the meeting of the Central Methodical Council, Record from _____ 2020 № ____

Head of the Department _____ Name SURNAME

EVALUATION CRITERIA

Evaluation criteria	Points
<p>The applicant of higher education demonstrates consistent, logical, correct and full implementation of practical skills without mistakes.</p> <p>The answers to the questions are complete, detailed, structured, logical.</p>	<p>Excellent / 90-100</p>
<p>Practical skills are performed by the applicant correctly, without serious mistakes, but there are 2-3 inaccuracies that are corrected independently.</p> <p>The answers to the questions are complete, but there are inaccuracies that are corrected by the applicant in the process of answering.</p>	<p>Good / 82-89</p>
<p>Practical skills are performed with minor mistakes or the sequence is broken while performing(which does not significantly affect the final result).</p> <p>The answers to the questions are incomplete, the disclosure of basic concepts is partial or the logic and structure of the presentation is violated.</p>	<p>Good / 74-81</p>
<p>There are mistakes (more than three) in the implementation of practical skills, but the applicant has the necessary knowledge to eliminate them under the guidance of a teacher.</p> <p>The answers to the content of the theoretical question are not complete and not structured.</p>	<p>Satisfactory / 64-73</p>
<p>Significant inaccuracies and mistakes in the implementation of practical skills, The applicant of higher education can correct them only under the guidance of a teacher.</p> <p>Answers to theoretical questions are not clear and complete enough, which requires additional and clarifying questions from the teacher.</p>	<p>Satisfactory / 60-63</p>
<p>Practical skills are not fulfilled or many gross fundamental mistakes are made in the execution, which affect the final result.</p> <p>The main content of theoretical questions is not disclosed, additional and clarifying questions of the teacher have no answers.</p>	<p>Unsatisfactory / 0-59</p>

RATING SCALE FOR HIGHER EDUCATION

APPLICANTS' KNOWLEDGE EVALUATION

The grade from the integrated practice-oriented qualifying exam in Pharmacy is determined by the examination committee to the rating scale:

Total points on a 100-point scale	ECTS scale	Evaluation on a four-point scale
90-100	A	Excellent
82-89	B	Good
74-81	C	
64-73	D	Satisfactory
60-63	E	
0-59	FX	Unsatisfactory

REFERENCES

1. Fundamentals of clinical medicine: symptoms and syndromes in the pharmacy practice: manual for students of pharmaceutical higher schools and pharmaceutical faculties of medical higher schools of the IVth accreditation level / I. A. Zupanets [et al.] ; ed. by V. P. Chernykh, V. M. Lesovoy, I. A. Zupanets. – Kharkiv : Golden Pages, 2012. – 94 p.
2. Industrial Drug Technology: Tutorial for Laboratory Classes for Students of Speciality «Pharmacy» / Yu. V. Yudina [et al.]. – Kharkiv : NUPh: «Original», 2012. – 254 p.
3. Management and Marketing in Pharmacy [Electronic resource] : the textbook for foreign students of higher pharmaceutical schools: in 2 parts / Z. Mnushko [et al.] ; ed. by prof. Z. Mnushko; National University of Pharmacy. – Electronic text data. – Kharkiv : Publishing center «Dialog», 2016. – Part I: Management in Pharmacy. – 262 p. – 1 electronic opt. disk (CD-R). – 2,5 Mb. – System requirements: Adobe Acrobat Reader. – Title from the disk label.
4. Management and Marketing in Pharmacy [Electronic resource] : the textbook for foreign students of higher pharmaceutical schools: in 2 parts / Z. Mnushko [et al.]; ed. by prof. Z. Mnushko; National University of Pharmacy. – Electronic text data. – Kharkiv: Publishing center «Dialog», 2016. – Part II: Marketing in Pharmacy. – 319 p. – 1 electronic opt. disk (CD-R). – 3,7 Mb. – System requirements: Adobe Acrobat Reader. – Title from the disk label.
5. Organization and economics of pharmacy: method. Recommendations for preparation in the course exam and comprehensive practice-oriented qualification examination in Pharmacy for students in specialty Pharmacy for foreign students (Language of Instructions – English) / A. A. Kotvitska, A. V. Volkova, A. V. Cherkashyna [et al.]. – Kharkiv : NUPh, 2021. – 32 p.
6. Organization and pharmaceutical providing population: textbook for university students / A. S. Nemchenko [et al.]. – Kharkiv : NUPh, 2014. – 268 p.

7. Pharmaceutical analysis : the study guide for students of higher schools / V. A. Georgiyants [et al.] ; ed. by prof. V. A. Georgiyants ; NUPh. – Kharkiv : NUPh : Golden Pages, 2018. – 494 p.
8. Pharmaceutical chemistry. Lectures for english-speaking students : the study guide for students of higher schools / V. A. Georgiyants [et al.] ; ed. by: V. A. Georgiyants, P. O. Bezugly ; NUPh. – Kharkiv : NPhaU : Original, 2013. – 528 p.
9. Pharmaceutical marketing and management: educational manual / V. V. Malyi [et al.] ; ed. by V. V. Malyi. – Kharkiv : NUPh, 2022. – 226 p.
10. Pharmacognosy : textbook for students higher school / V. S. Kyslychenko [et al.] ; ed. by prof. V. S. Kyslychenko ; NUPh. – Kharkiv : NUPh : Golden Pages, 2019. – 584 p
11. Pharmacy – based technology of drugs : the manual for applicants of higher education / O. I. Tykhonov [et al.] ; ed. by O. I. Tykhonov, T. G. Yarnykh. – Kharkiv : NUPh : Golden Pages, 2019. – 488 p.
12. Tests. Pharmacy-based technology of drugs: A handbook for the out-of-classwork of English applicants / T. G. Yarnykh [et al.] ; ed. by T.G. Yarnykh. – Kharkiv : NUPh, 2019. – 156 p.
13. The system of the accounting in the pharmacy. Training manual for applicants of higher education on specialty «Pharmacy» on discipline «Organization and economics of pharmacy» / A. A. Kotvitska [et al.]. – Kharkiv : NUPh, 2020. – 78 p.
14. Train aid for preparation for the licensed integrated test-based exam «Krok 2. Pharmacy» in specialty «226 Pharmacy, industrial pharmacy» for students of the Faculty for Foreign Citizens' Education / A. A. Sichkar [et al.]. – Kharkiv : NUPh, 2021. – 73 p.
15. Workbook for Pharmacy-based Technology of Drugs : a tutorial for the 3-rd year English-speaking applicants of higher education of "Pharmacy" specialty / T. G. Yarnykh [et al.]. – Kharkiv : NUPh, 2018. – 149 p.
16. Workbook for preparation to the licensed examination “CROCK-2” on pharmacy-based technology of drugs : for English-speaking applicants of higher

education of specialty “Pharmacy”: Practical aids. For individual work / T. G. Yarnykh [et al.]. – Kharkiv : NUPh, 2017. – 54 p.

17. Workbook with methodical recommendations in organization and economics of pharmacy : methodical recommendations for English students of specialty «Pharmacy». Pt. 2 / I. V. Kubareva [et al.]. – Kharkiv : NUPh, 2020. – 66 p.

18. Pharmaceutical marketing and management. Working book [Electronic resource] : [educational-methodical manual is intended for practical and seminar classes for higher education applicants of the specialty "Pharmacy", who study in English] / V. V. Malyi [et al.] ; NUPh, Dep. of PhMM. – Electronic text data. – Kharkiv : NUPh, 2020. – 277 p. – Загол. з титул. екрана.

У методичних рекомендаціях наведено ситуаційні завдання з професійно-орієнтованих освітніх компонент, що виносяться на комплексний практично-орієнтований кваліфікаційний іспит з фармації. У формі ситуаційних завдань висвітлені питання, пов'язані з принципами професійної діяльності фармацевтичних працівників. Ситуаційні завдання розроблені відповідно до освітньої програми Фармація, програми комплексного практично-орієнтованого кваліфікаційного іспиту з фармації з урахуванням необхідних компетентностей здобувачів вищої освіти, зазначених в освітній програмі.

Методичні рекомендації призначені для підготовки до комплексного практично-орієнтованого кваліфікаційного іспиту з фармації здобувачів вищої освіти галузі знань 22 Охорона здоров'я спеціальності 226 Фармація, промислова фармація.

Навчальне видання

Котвіцька Алла Анатоліївна
Федосов Андрій Ігорович
Кузнєцова Вікторія Юріївна
Герасимова Ольга Олександрівна
Кисличенко Вікторія Сергіївна
Криворучко Олена Вікторівна
Рухмакова Ольга Анатоліївна
Половко Наталя Петрівна
Зуйкіна Світлана Сергіївна
Буряк Марина Валеріївна
Бевз Наталя Юріївна
Сидоренко Людмила Василівна
Георгіянц Вікторія Акопівна
Перехода Ліна Олексіївна
Северіна Ганна Іванівна
Панфілова Ганна Леонідівна
Назаркіна Вікторія Миколаївна
Новосел Олена Миколаївна
Малий Володимир Валентинович
Пестун Ірина Володимирівна
Штриголь Сергій Юрійович
Деримедвідь Людмила Віталіївна
Отришко Інна Анатоліївна
Гриценко Віта Іванівна
Волкова Аліна Вікторівна
Сурікова Ірина Олександрівна

МЕТОДИЧНІ РЕКОМЕНДАЦІЇ З ПІДГОТОВКИ ДО КОМПЛЕКСНОГО ПРАКТИЧНО-ОРІЄНТОВАНОГО КВАЛІФІКАЦІЙНОГО ІСПИТУ З ФАРМАЦІЇ

Англійською мовою

За редакцією проф. А. А. Котвіцької